


# Magnetismo




# Repaso

$$\mathbf{F}_B = q\mathbf{v} \times \mathbf{B}$$

$$1 \text{ T} = 1 \frac{\text{N}}{\text{A} \cdot \text{m}}$$

$$\omega = \frac{v}{r} = \frac{qB}{m}$$




# Fuerza magnética sobre un conductor con corriente

$$d\mathbf{F} = Nq |\mathbf{v}| A d\mathbf{l} \times \mathbf{B}$$


$$d\mathbf{F} = I d\mathbf{l} \times \mathbf{B}$$

$$\mathbf{F} = \oint_C I d\mathbf{l} \times \mathbf{B}$$


$$\mathbf{F} = \oint_C I d\mathbf{l} \times \mathbf{B} = 0 \quad (\mathbf{B} \text{ uniforme})$$



# Fuerza magnética sobre un conductor con corriente



# Torque sobre un circuito con corriente en un $\mathbf{B}$ uniforme



(a)


$$d\boldsymbol{\tau} = \mathbf{r} \times d\mathbf{F} = I\mathbf{r} \times (d\mathbf{l} \times \mathbf{B})$$

$$\boldsymbol{\tau} = I \oint_C \mathbf{r} \times (d\mathbf{l} \times \mathbf{B})$$

$$\boldsymbol{\mu} = I\mathbf{A}$$

$$\boldsymbol{\tau} = I\mathbf{A} \times \mathbf{B}$$

$$\boldsymbol{\tau} = \boldsymbol{\mu} \times \mathbf{B}$$




(b)


# Oersted (1820)



Hans Christian Ørsted  
(1777-1851)



# Ley de Biot-Savart



$$\mathbf{F}_2 = \frac{\mu_0}{4\pi} I_1 I_2 \oint_1 \oint_2 \frac{d\mathbf{l}_2 \times [d\mathbf{l}_1 \times (\mathbf{r}_2 - \mathbf{r}_1)]}{|\mathbf{r}_2 - \mathbf{r}_1|^3}$$


$$\frac{\mu_0}{4\pi} = 10^{-7} \text{ N/A}^2$$

$$\mathbf{B}(\mathbf{r}_2) = \frac{\mu_0}{4\pi} I_1 \oint_1 \frac{d\mathbf{l}_1 \times (\mathbf{r}_2 - \mathbf{r}_1)}{|\mathbf{r}_2 - \mathbf{r}_1|^3}$$

**Ley de Biot-Savart**



# Aplicaciones de Biot-Savart

**Conductor infinito con corriente**




$$\mathbf{B}(\mathbf{r}_2) = \frac{\mu_0 I}{2\pi a} \mathbf{k}$$

# Aplicaciones de Biot-Savart



$$\mathbf{B}(z) = \frac{\mu_0 I}{2} \frac{a^2}{(z^2 + a^2)^{3/2}} \mathbf{k}$$


# Bobina de Helmholtz



$$B_z = \frac{\mu_0 N I}{a} \frac{8}{5^{3/2}}$$

$$B_z(z) = \frac{N\mu_0 I a^2}{2} \left\{ \frac{1}{(z^2 + a^2)^{3/2}} + \frac{1}{[(2b - z)^2 + a^2]^{3/2}} \right\}$$

# Bobina de Helmholtz





# COSMOLOGY MARCHES ON

